

# 874 Commodity Movement Services Response

Functional Group ID=CQ

## Heading:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
M	0100	ST	Transaction Set Header	M	1		
M	0200	BGN	Beginning Segment	M	1		
	0400	III	Information	O	>1		
						LOOP ID - N1	>1
M	0500	N1	Party Identification	M	1		

## Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
						LOOP ID - N9	>1
	0100	N9	Extended Reference Information	O	1		
	0200	DTM	Date/Time Reference	O	1		
	0300	LCD	Place/Location Description	O	1		
	0400	CS	Contract Summary	O	1		
	0500	N1	Party Identification	O	1		
	0600	III	Information	O	>1		
						LOOP ID - SLN	>1
	0700	SLN	Subline Item Detail	O	1		
	0900	III	Information	O	>1		
M	1000	SE	Transaction Set Trailer	M	1		

**Segment:** **ST** Transaction Set Header  
**Position:** 0100  
**Loop:**  
**Level:** Heading  
**Usage:** Mandatory  
**Max Use:** 1

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>		<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	
M	ST01	143	Transaction Set Identifier Code	M 1 ID 3/3
			874 Commodity Movement Services Response	
M	ST02	329	Transaction Set Control Number	M 1 AN 4/9

**Segment:** **BGN** Beginning Segment  
**Position:** 0200  
**Loop:**  
**Level:** Heading  
**Usage:** Mandatory  
**Max Use:** 1

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
M	BGN01	353	Transaction Set Purpose Code 27 Verify	M 1 ID 2/2
M	BGN02	127	Reference Identification <i>Transaction Identifier</i>	M 1 AN 1/22
<i>The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.</i>				
M	BGN03	373	Date <i>The confirmation response quick response issue date.</i>	M 1 DT 8/8
Must Use	BGN07	640	Transaction Type Code <i>Transaction Set Type Code</i> V3 Confirmation Response Quick Response V5 Request for Confirmation Quick Response	O 1 ID 2/2
Must Use	BGN08	306	Action Code <i>Transaction Status Code</i> EZ Exception Occurred <i>Errors and/or warnings occurred in the transaction. Transaction has been acknowledged. Errors and/or warnings follow.</i> RZ Reject - Header Level Errors <i>The entire transaction was rejected due to header level errors.</i> WQ Accept <i>The entire transaction was accepted.</i>	O 1 ID 1/2

**Segment:** **III** Information

**Position:** 0400

**Loop:**

**Level:** Heading

**Usage:** Optional

**Max Use:** >1

**Notes:** For NAESB WGQ, this segment is mandatory when BGN08 = 'RZ' or when BGN08 = 'EZ' and warning(s) exist at the header level.

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Must Use	III01	1270 Code List Qualifier Code VAL Validation Code	X 1 ID 1/3
Must Use	III02	1271 Industry Code Validation Code	X 1 AN 1/30
		<i>Refer to "Errors and Warnings (Heading)" table for usage and values.</i>	
	III04	933 Free-form Message Text Validation Message	X 1 AN 1/80

*For NAESB WGQ, this element is sender's option. However, if sending an error or warning code that has been approved by NAESB WGQ, but not yet published, the Validation Message should be sent for further clarification.*

*The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.*

**Segment:** **N1 Party Identification**

**Position:** 0500

**Loop:** N1 Mandatory

**Level:** Heading

**Usage:** Mandatory

**Max Use:** 1

**Notes:** *For NAESB WGQ, this segment is mandatory and should occur once for each value indicated in the N101 element.*

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
<b>M</b>	<b>N101</b>	<b>98 Entity Identifier Code</b>	<b>M 1 ID 2/3</b>
		CNP Confirming Party	
		CNR Confirmation Requester	
<b>Must Use</b>	<b>N103</b>	<b>66 Identification Code Qualifier</b>	<b>X 1 ID 1/2</b>
		<i>Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available.</i>	
		1 D-U-N-S Number, Dun & Bradstreet	
		<i>For NAESB WGQ, this code value may only be used when sending the Confirmation Requester or Confirming Party.</i>	
		SV Service Provider Number	
		<i>For NAESB WGQ, this code value may only be used when sending the Confirmation Requester Proprietary Code or Confirming Party Proprietary Code.</i>	
<b>Must Use</b>	<b>N104</b>	<b>67 Identification Code</b>	<b>X 1 AN 2/17</b>
		<i>Confirmation Requester/Confirmation Requester Proprietary Code, Confirming Party/Confirming Party Proprietary Code</i>	

*The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.*

**Segment:** **N9** Extended Reference Information

**Position:** 0100

**Loop:** N9 Optional

**Level:** Detail

**Usage:** Optional

**Max Use:** 1

**Notes:** *For NAESB WGQ, this segment is mandatory when BGN08 = 'EZ' and the error(s) or warning(s) exist at the detail or sub-detail level.*

#### Data Element Summary

	<u>Ref.</u>	<u>Data</u>		<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	
<b>M</b>	<b>N901</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M 1 ID 2/3</b>
			2H Assigned by transaction set sender	
<b>Must Use</b>	<b>N902</b>	<b>127</b>	<b>Reference Identification</b>	<b>X 1 AN 1/80</b>

**Segment:** **DTM** Date/Time Reference

**Position:** 0200

**Loop:** N9 Optional

**Level:** Detail

**Usage:** Optional

**Max Use:** 1

**Notes:** For NAESB WGQ, this segment is mandatory when BGN08 = 'EZ' and the error(s) or warning(s) exist at the detail or sub-detail level.

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
M	DTM01	374	Date/Time Qualifier	M 1 ID 3/3
			007 Effective	
Must Use	DTM05	1250	Date Time Period Format Qualifier	X 1 ID 2/3
			DDT Range of Dates and Time, Expressed in CCYYMMDD-CCYYMMDDHHMM <i>This code designates the Gas Day on which the transaction is to be initiated through the instance in time when the transaction is to finish. For example, the entire month of April 2001 would be stated as 20010401-200105010900.</i>	
			DTD Range of Dates and Time, Expressed in CCYYMMDDHHMM-CCYYMMDD <i>This code designates the instance in time when the transaction is to be initiated through the Gas Day on which the transaction is to finish. For example, the entire month of April 2001 would be stated as 200104010900-20010430.</i>	
			RD8 Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD <i>This code designates the range of Gas Days in which the transaction will occur. For example, the entire month of April 2001 would be stated as 20010401-20010430.</i>	
			RDT Range of Date and Time, Expressed in Format CCYYMMDDHHMM-CCYYMMDDHHMM <i>This code designates the instance in time when the transaction is to be initiated through the instance in time when the transaction is to finish. For example, the entire month of April 2001 would be stated as 200104010900-200105010900.</i>	
Must Use	DTM06	1251	Date Time Period	X 1 AN 1/35
			<i>Beginning Date, Beginning Time, Ending Date, Ending Time</i>	

**Segment:** **LCD** Place/Location Description

**Position:** 0300

**Loop:** N9 Optional

**Level:** Detail

**Usage:** Optional

**Max Use:** 1

**Notes:** *For NAESB WGQ, this segment is mandatory when BGN08 = 'EZ' and the error(s) or warning(s) exist at the detail or sub-detail level.*

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Must Use	LCD02	98 Entity Identifier Code LCN Gas Nomination Location	O 1 ID 2/3
Must Use	LCD05	66 Identification Code Qualifier SV Service Provider Number	X 1 ID 1/2
Must Use	LCD06	67 Identification Code Location	X 1 AN 2/17

*The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.*



**Segment:** **CS** **Contract Summary**

**Position:** 0400

**Loop:** N9 Optional

**Level:** Detail

**Usage:** Optional

**Max Use:** 1

**Notes:** *For NAESB WGQ, this segment is mandatory when BGN08 = 'EZ' and the error(s) or warning(s) exist at the detail or sub-detail level.*

#### Data Element Summary

	<u>Ref.</u>	<u>Data</u>		<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	
Must Use	CS01	367	Contract Number <i>Confirmation Service Contract</i>	O 1 AN 1/30

**Segment:** **N1** Party Identification  
**Position:** 0500  
**Loop:** N9 Optional  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 1  
**Notes:** *For NAESB WGQ, this segment is conditional.*

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
<b>M</b>	<b>N101</b>	<b>98</b>	<b>Entity Identifier Code</b>	<b>M 1 ID 2/3</b>
			CNS Confirmation Service Identifier Code	
<b>Must Use</b>	<b>N103</b>	<b>66</b>	<b>Identification Code Qualifier</b>	<b>X 1 ID 1/2</b>
			<i>Parties should mutually agree to use the Transportation Service Provider's proprietary entity code when the D-U-N-S® Number is not available.</i>	
			1 D-U-N-S Number, Dun & Bradstreet	
			<i>For NAESB WGQ, this code value may only be used when sending the Confirmation Service Identifier Code.</i>	
			SV Service Provider Number	
			<i>For NAESB WGQ, this code value may only be used when sending the Confirmation Service Identifier Proprietary Code.</i>	
<b>Must Use</b>	<b>N104</b>	<b>67</b>	<b>Identification Code</b>	<b>X 1 AN 2/17</b>
			<i>Confirmation Service Identifier Code/Confirmation Service Identifier Proprietary Code</i>	
			<i>The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.</i>	

**Segment:** **III Information**

**Position:** 0600

**Loop:** N9 Optional

**Level:** Detail

**Usage:** Optional

**Max Use:** >1

**Notes:** *For NAESB WGQ, this segment is mandatory when BGN08 = 'EZ' and the error(s) or warning(s) exist at the detail level.*

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Must Use	III01	1270 <b>Code List Qualifier Code</b> VAL Validation Code	X 1 ID 1/3
Must Use	III02	1271 <b>Industry Code</b> Validation Code	X 1 AN 1/30
		<i>Refer to "Errors and Warnings (Detail)" table for usage and values.</i>	
	III04	933 <b>Free-form Message Text</b> Validation Message	X 1 AN 1/80

*For NAESB WGQ, this element is sender's option. However, if sending an error or warning code that has been approved by NAESB WGQ, but not yet published, the Validation Message should be sent for further clarification.*

*The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.*

**Segment:** **SLN** Subline Item Detail

**Position:** 0700

**Loop:** SLN Optional

**Level:** Detail

**Usage:** Optional

**Max Use:** 1

**Notes:** *For NAESB WGQ, this segment is mandatory when BGN08 = 'EZ' and the error(s) or warning(s) exist at the sub-detail level.*

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>		<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	
M	SLN01	350	Assigned Identification <i>Confirmation Tracking Identifier</i>	M 1 AN 1/11
			<i>The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.</i>	
M	SLN03	662	Relationship Code I Included	M 1 ID 1/1

**Segment:** **III Information**

**Position:** 0900

**Loop:** SLN Optional

**Level:** Detail

**Usage:** Optional

**Max Use:** >1

**Notes:** *For NAESB WGQ, this segment is mandatory when BGN08 = 'EZ' and the error(s) or warning(s) exist at the sub-detail level.*

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Must Use	III01	1270 Code List Qualifier Code VAL Validation Code	X 1 ID 1/3
Must Use	III02	1271 Industry Code Validation Code	X 1 AN 1/30
		<i>Refer to "Errors and Warnings (Sub-detail)" table for usage and values.</i>	
	III04	933 Free-form Message Text Validation Message	X 1 AN 1/80

*For NAESB WGQ, this element is sender's option. However, if sending an error or warning code that has been approved by NAESB WGQ, but not yet published, the Validation Message should be sent for further clarification.*

*The data element maximum length indicated is reduced from that which is specified in the ASC X12 standards.*

**Segment:** **SE** Transaction Set Trailer  
**Position:** 1000  
**Loop:**  
**Level:** Detail  
**Usage:** Mandatory  
**Max Use:** 1

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>		<b>Attributes</b>
	<b>Des.</b>	<b>Element</b>	<b>Name</b>	
M	SE01	96	Number of Included Segments	M 1 N0 1/10
M	SE02	329	Transaction Set Control Number	M 1 AN 4/9